

Proceedings of the Thirteenth Triennial Symposium of the International Society for Tropical Root Crops

Arusha, 10 - 14 November 2003

TABLE OF CONTENTS

PART 2

Post-Harvest and Marketing

Potential chemopreventive properties of caffeoylquinic acid derivatives from sweetpotato (<i>Ipomoea batatas</i> L.) leaves. Yoshimoto M., Kurata R., Okuno S., Ishiguro K., and Yamakawa O.	397
Requirements and characteristics of potato varieties in the Kenyan potato processing agricultural subsector. Walingo A.M., Lung'aho C. and Kabira J.N.	408
Probiotic and prebiotic properties of lactic acid bacteria isolated from cassava fermentations. Varnam A. and Awamaria B.	417
The potential for storage of fresh sweetpotato under tropical conditions: Evaluation of physiological changes and quality aspects. Van Oirschot Q., Ngendello T., Rwiza E., Amour R., Tomlins K., Rees D. and Westby A.	423
Application of consumer preference and sensory evaluation to sweetpotato research in East Africa . Tomlins K.I., Van Oirschot Q.E.A., Rwiza E., Amour R., Ngendello T., Kapinga R., Rees D. and Westby A.	435
Heap fermentation of cassava (<i>Manihot Esculenta</i> Crantz) in Nampula province, Mozambique. Tivana L.D., Bvochora J., Mutukumira A. N., Owens J. D. and Zvauya R.	445
Effect of cassava (<i>Manihot esculenta</i>) root meal supplemented with Nile Perch fish waste (<i>Lates niloticus</i>) on the rumen environment. Shem M.N., Katakweba A.A.S., Aboud A.A.O., Sarwatt S.V., Lekule F.P. and Mutayoba S.	451
Influence of the initial moisture contents on the functional and sensory qualities of dried <i>fufu</i> . Sanni L.O. and Ajakaye F.I.	460
Production of instant cassava noodles. Sanni L.O., Bambose C.A., Babajide J.M. and Sanni S.A.	466
Minimal processing of yam to increase consumers' acceptance. Oduro I., Ellis W.O., Asamoah-Okyere D.K., Adu-Amankwa P., Alemawor F. and Amaglo F.K.	473
On-farm trials on long-term storage of sweetpotato at Gezaulole village, Kigamboni, Tanzania. Ndunguru G.T., Tomlins K.I., Kimenyi F.L. and Westby A.	478

The role of sweetpotato root and starch characteristics on thermally processed products. Namutebi A.S., Hill S.E., Farhat I.A. and Mitchell J.R.	482
Effect of emulsifiers on sensory acceptability of cassava flakes. Muzanila Y.C., Brennan J.G., King R.D. and MacDougall D.B.	489
Assessment of cassava commercialisation and the effect of feeding cassava on the performance of chickens. Mutayoba S.K., Lekule F.P., Shem M.N., Laswai G.H., Sarwatt S.V., Malole J.L. and Michael S.	494
Effect of different storage methods on the shelf life of fresh sweetpotatoes in Cairo, Tanzania. Mpagalile J.J., Silayo V.C.K., Laswai H.S. and Ballegu W.R.	500
A review of post-harvest activities for cassava in Tanzania. Mlingi N.V. and Ndunguru G.T.	506
Nutritional evaluation of composite flour based on root and tuber crops and sensory acceptability of the developed products. Lyimo M.E., Gimbi D.M. and Shayo N.B.	514
Nutritive value of fresh cassava tubers, cassava root meal and cassava chips for growing - finishing pigs. Lekule F.P., Shem M.N., Laswai G.H., Mutayoba S.K., Sarwatt S.V., Mtenga L.A. and Malole J.L.	521
Improvement and popularization of diversified cassava products for income generation and food security: A case study of <i>Kibabu</i> . Laswai H.S., Silayo V.C.K., Mpagalile J.J., Balegu W.R. and John J.	530
A new sweetpotato cultivar, “quick sweet” has an altered starch structure and low gelatinization temperature. Katayama K., Tamiya S., Kuranouchi T., Komaki K. and Nakatani M.	536
Substitution of hominy meal with cassava root meal as a source of energy for growing dairy heifers. Katakweba A.A.S., Shem M.N., Aboud A.A.O., Sarwatt S.V., Lekule F.P. and Mutayoba S.	540
Nutrition and utilization of a new sweetpotato cultivar for tops. Ishiguro K., Toyama J. and Yoshimoto M.	550
On-farm pre-treatment of yam tubers to extend shelf life. Ellis W.O., Oduro I., Akomeah-Adjei F. and Amagloh F.K.	554
Pasta production: Another under-exploited way of increasing cassava utilization. Ballegu W.R.W., Laswai H.S., Mpagalile J.J., Silayo V.C.K. and Mansour H.	559
Use of fluorescent <i>in-situ</i> hybridisation to investigate possible involvement of <i>Clostridium</i> spp. during softening and fermentation of cassava. Awamaria B. and Varnam A.H.	568
<i>Additional Abstracts</i>	575

Socio-economics

Participatory approach in the development of technologies to control erosion for sustainable cassava production in Thailand. Watananonta W., Vongkasem W., Klakhaeng K. and Howeler R.	585
Determinants of farmers' adoption of improved cassava and sweetpotato varieties in Sierra Leone. Sandy Margao C., Fornah D.S. and Barrie I.S.	593
Rural household expenditures for roots and tubers in South Western Nigeria: An almost ideal demand system analysis. Manyong V.M., Bamire A.S. and Zuckerman P.S.	601
Cassava in Tanzania: A famine or commercial reserve? Lazaro E.A., Lisasi H. and Assenga A.	614
Farmers' participatory perspectives on sweetpotato cultivars in Makueni district of Kenya. Githunguri, C.M. and Migwa, Y.N.	622
Challenges, opportunities, and strategy for cassava sub sector development in Nigeria. Ezedinma C.I., Kormawa P.M., Manyong V.M. and Dixon A.G.O.	627
Determinants of the adoption of improved cassava varieties in Southern Ghana - logistic regression analysis. Dankyi A.A. and Adjekum A.A.	641
Nutritional potential of the under-utilized indigenous root tuber <i>Nymphaea petersiana</i> in Malawi. Chawanje C.M., Barbeau W.E. and Grun I.	648
Seed yam marketing in Nigeria: Determinants and constraints. Asumugha G.N., Ugwu B.O., Aniedu O.C. and Orkwor G.C.	656
<i>Additional Abstracts</i>	664

Technology Transfer

Participatory evaluation and improvement of cassava and sweetpotato processing machines for the Eastern zone of Tanzania. Silayo V.C.K., Balegu W.R., Mpagalile J.J. and Laswai H.S.	672
Successful restoration of cassava production in Western Kenya. Obiero H.M., Whyte J.A.B., Legg J.P., Akhwale M.S., Malinga J. and Magut T.	682
The role of community based organisations, NGOs and farmers in technology transfer. Jeremiah S.C., Kulembeka H.P., Kanju E., Chirimi B. and Amour R.	686
Development and promotion of orange-fleshed sweetpotato varieties in Western Kenya. Ndolo P.J., Nungo R.A., Kapringa R.E. and Agili S.	689
Farmers decide: A participatory approach to the development and dissemination of improved cassava technologies that increase yields and prevent soil degradation. Howeler R.H., Watananonta W. and Ngoan T.N.	696
<i>Additional Abstracts</i>	708

Mini-Symposium: Vitamin A for Africa (VITAA)

Vitamin A for Africa (VITAA): An entry point for promoting orange-fleshed sweetpotato to combat Vitamin A-deficiency in sub-saharan Africa. Anderson P., Kapinga R., Zhang D., Hermann M.	711
The effect of orange fleshed sweetpotato on vitamin A and nutritional status of pre-school children in Nambale division Busia district. Akelola R., Karuri E., Muroki N M. and Mwaniki D.	721
Summary of progress on orange-fleshed sweetpotato research and development in Ethiopia. Assefa Tofu, Teshome Anshebo, Engida Tsegaye and Tesfaye	728
Evaluation and promotion of orange fleshed sweetpotato to alleviate Vitamin A deficiency in Orissa and Eastern Uttar Pradesh of India. Attaluri S. and Ilangantileke S.	732
Adaptability and acceptability of new orange-fleshed sweetpotato varieties in selected areas of Eastern and Central zones of Tanzania. Masumba E., Kapinga R., Tollan S.M., Mary O., Yongolo and Kitundu C.D.	737
Genotypic variation among sweetpotato clones for β-Carotene and sugar content. Mcharo M. and La Bonte D.	746
Potential of cassava and sweetpotato leaves to contribute to the Vitamin A requirements. Mulokozi G., Mugyabuso J. and Modaha F.	755
Promoting indigenous wild edible fruits to complement roots and tuber crops in alleviating vitamin A deficiencies in Uganda. Musinguzi E., Kikafunda J.K. and Kiremire B.T.	763
Partnership: An approach to promote orange fleshed sweetpotato, experiences from Uganda. Mwanga R.O.M., Niringiye C., Odongo B., Opio A.E., Lemaga B., Kyaddondo B., Sserunjogi L., Owori C. and Kapinga R.	770
Dissemination and commercialization of orange-fleshed sweetpotato varieties through FFS and VITAA partnership: Experiences from eastern Uganda. Namanda S., Kapinga R., Stathers T., van de Fliert E., Owori C. and Tumwegamire S.	780
Development and promotion of sweetpotato products in Western Kenya. Nungo R.A., Ndolo P.J., Kapinga R. and Agili S.	790
Orange-fleshed sweetpotato as a disaster mitigation crop in war- torn Northern Uganda. Odongo A., Lemaga B., Kapinga R., Tumwegamire S. and Nsumba J.	795
Farmers' perception and varieties acceptability of orange-fleshed sweetpotato in Zanzibar. Saleh H.H. and Zahor O.T.	801
Acceptability studies of orange-fleshed sweetpotato varieties in Uganda. Tumwegamire S., Kapinga R., Mwanga R.O.M., Niringiye C., Lemaga B. and Nsumba J.	807
<i>Additional Abstracts</i>	814

Symposium communiqué on key emerging issues

1. Management of cassava brown streak disease (CBSD) in sub-Saharan Africa 819
2. Promotion of orange-fleshed sweetpotato to combat vitamin A deficiency in sub-Saharan Africa: VITAA (Vitamin A for Africa) Partnership Programme experiences 820

Local Organising Committee

- List of Participants** 822